

listsuspended

List Suspended Accounts

To find suspended Eenos hosting accounts.

Required Parameters

Field	Description	Example
apiuser	API user name	eenos_api
apiauth	API user password	eenos123

Status Codes

Code	Description
200	OK, Success
500	Server Error
403	Forbidden
400	Bad request

Request URL

Post url = **/listsuspended/**

Default Full URL = https://your-host-name:5555/api/listsuspended/

Version Full URL = https://your-host-name:5555/api/v1/listsuspended/

Sample Curl Code

```
#!/bin/bash
REQUEST_URL="/listsuspended/"
BASE_URL="https://your-host-name:5555/api/v1"
# Default base url
# BASE_URL="https://your-host-name:5555/api"
# Version specific base url
```

```
# BASE_URL="https://your-host-name:5555/api/v1"
API_URL="$BASE_URL$REQUEST_URL"
/usr/bin/curl -X POST $API_URL \
  -d "apiuser=eenos_api" \
  -d "apiauth=eenos123"
```

Sample Output

```
{
  "data" : {
    "accounts" : {
      "dreamcatcher" : {
        "reason" : "test",
        "suspendtime" : "Sun, 07-Feb-2021 10:35:02, America/Los_Angeles",
        "user" : "dreamcatcher"
      },
      "mysite" : {
        "reason" : "not paid",
        "suspendtime" : "Thu, 11-Nov-2021 11:45:19, America/Los_Angeles",
        "user" : "mysite"
      }
    }
  },
  "info" : "Suspend hosting accounts",
  "status" : 200
}
```

Python Code

```
#!/usr/bin/python3
import requests
from pprint import pprint
# The API request url
request_url='/listsuspended/'
# The server api base url
base_url='https://your-host-name:5555/api'
# Default base url
# base_url='https://your-host-name:5555/api'
# Version specific base url
```

```

# base_url='https://your-host-name:5555/api/v1'
# The api url
api_ulr=base_url+request_url
# The data in dictionary format
data={
    'apiuser': 'eenos_api',
    'apiauth':'eenos123',
}
try:
    result=requests.post(api_ulr, data = data)
    pprint(result.json())
except Exception as e:
    pprint(str(e))
    pass

```

PHP Code

```

<?php
// The API request url
$request_url='/listsuspended/';
// Your server API base url
$base_url='https://your-host-name:5555/api';
// Default base url
// $base_url='https://your-host-name:5555/api';
// Version specific base url
// $base_url='https://your-host-name:5555/api/v1';
// The FULL API URL
$api_url=$base_url.$request_url;
//The data you want to send via POST
$fields= [
    'apiuser' => 'eenos_api',
    'apiauth' => 'eenos123',
];
//url-ify the data for the POST
$fields_string = http_build_query($fields);
//open connection
$ch = curl_init();
//set the url, number of POST vars, POST data

```

```
curl_setopt($ch,CURLOPT_URL, $api_url);
curl_setopt($ch,CURLOPT_POST, true);
curl_setopt($ch,CURLOPT_POSTFIELDS, $fields_string);
//So that curl_exec returns the contents of the cURL; rather than echoing it
curl_setopt($ch,CURLOPT_RETURNTRANSFER, true);
//execute post
$result = curl_exec($ch);
//Print the json result
echo json_encode(json_decode($result), JSON_PRETTY_PRINT);
?>
```

Revision #5

Created 13 December 2022 12:54:38 by Eenos Official Editor

Updated 11 December 2023 09:10:17 by Jessi